| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-----------------|-------|---|---|---------------------|---------|------------------|
| S1 | 610 | (361/23).CCLS. | USPAT; USOCR | OR | OFF | 2007/10/30 10:57 |
| S2 | 61668 | motor same controller | USPAT | OR | OFF | 2005/10/20 13:47 |
| S3 | 498 | S2 same modular | USPAT | OR | OFF | 2005/10/20 13:47 |
| S4 | 8 | S3 same (protect protection protecting) | USPAT | OR | OFF | 2005/10/20 13:47 |
| S5 | 1219 | 361/23 | US-PGPUB; USPAT | OR | OFF | 2006/03/18 09:36 |
| S6 | 14 | S5 and (motor with base with mount\$4) | US-PGPUB; USPAT | OR | OFF | 2006/03/18 09:36 |
| S7 | . 21 | ("2953722" "3417290" "3519910" "3600657" "3727103" "3931559" "3953777" "4034269" "4068279" "4091433" "4117408" "4286925" "4290007" "4420787" "4642478" "4703387").PN. OR ("4972289"). URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/03/18 09:44 |
| S8 [′] | 11 | ("4319299" "4492886" "4701824" "4862306").PN. OR ("5170307"). URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/03/18 09:49 |
| S9 | 7 | "6099325" | US-PGPUB; USPAT; USOCR | OR . | OFF | 2006/03/18 09:51 |
| S10 | 0 | (modular programmable motor control\$4 unit) | US-PGPUB; USPAT; USOCR | NEAR | OFF | 2006/03/18 09:51 |
| S11 | 1 | (modular programmable motor control\$4 unit) | US-PGPUB; USPAT; USOCR | WITH | OFF | 2006/03/18 09:55 |
| S12 | 13 | (programmable motor control\$4 protection) | US-PGPUB; USPAT; USOCR | WITH | OFF | 2006/03/18 09:55 |
| S13 | 28 | (programmable motor control\$4 protection) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | WITH | OFF | 2006/03/18 09:56 |
| S14 | | S13 and (short adj1 circuit and overload) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | WITH | OFF | 2006/03/18 09:58 |

| S15 | 7 | S13 and (short adj1 circuit or overload) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | WITH | OFF | 2006/03/18 10:01 |
|-----|-------|---|---|------|-----|------------------|
| S16 | 0 | S13 and ((short adj1 circuit or oerload protection) and (instantaneous near3 trip)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | WITH | OFF | 2006/03/18 10:02 |
| S17 | 0 | S13 and ((short adj1 circuit or oerload protection) and (magnetic circuit breaker)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | WITH | OFF | 2006/03/18 10:02 |
| S18 | 4 | S13 and ((short adj S5 circuit or overload protection) and (magnetic circuit breaker or contactor)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | WITH | OFF | 2006/03/18 10:03 |
| S19 | 0 | S18 and (soft start machine controller) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | WITH | OFF | 2006/03/18 10:03 |
| S20 | 0 | S18 and (soft start machine controller) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | NEAR | OFF | 2006/03/18 10:03 |
| S21 | 1 | ((soft start machine controller) and (variable frequency machine drive)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | NEAR | OFF | 2006/03/18 10:04 |
| S22 | 26247 | modular machine or motor controller | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2006/03/18 10:05 |

| EAST Scarci miscory | | | | | | | |
|---------------------|-------|--|---|------|-----|------------------|--|
| S23 | 26247 | (modular machine) or (motor controller) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2006/03/18 10:05 | |
| S24 | 0 | S23 and ((sot adj2 start) and (variable adj2 frequency)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2006/03/18 10:05 | |
| S25 | 1 | S22 and ((soft adj2 start) and (variable adj2 frequency)) near3 controller | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2006/03/18 10:06 | |
| S26 | 1 | ("5557182").PN. | USPAT; USOCR | OR | OFF | 2006/03/20 10:05 | |
| S27 | . 0 | ("20040252421").PN. | USPAT; USOCR | OR | OFF | 2007/06/19 13:27 | |
| S28 | 1 | ("20040252421").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/06/19 13:27 | |
| S29 | 1895 | low near voltage near detect\$3 | US-PGPUB; USPAT | OR | ON | 2007/10/11 10:39 | |
| S30 | 264 | S29 same threshold same voltage | US-PGPUB; USPAT | OR | ON | 2007/10/11 10:39 | |
| S31 | 13 | S30 same (zero non\$1zero) | US-PGPUB; USPAT | OR | ON | 2007/10/11 10:46 | |
| S32 | 1423 | 327/143 | US-PGPUB; USPAT | OR | ON | 2007/10/11 10:54 | |
| S33 | 54 | S32 and (low near voltage near (detect\$3)) | US-PGPUB; USPAT | OR | ON | 2007/10/11 10:55 | |
| S34 | 876 | 327/143.ccls. | US-PGPUB; USPAT | OR | ON | 2007/10/11 10:54 | |
| S35 | 37 | S34 and (low near voltage near (detect\$3)) | US-PGPUB; USPAT | OR | ON | 2007/10/11 10:55 | |
| S36 | 5 | S35 not S33 | US-PGPUB; USPAT | OR | ON | 2007/10/11 10:55 | |
| S37 | 933 | 327/77.ccls. | US-PGPUB; USPAT | OR · | ON | 2007/10/11 11:04 | |
| S38 | 14 | S37 and (low near voltage near detect\$3) | US-PGPUB; USPAT | OR | ON | 2007/10/11 11:05 | |
| S39 | 341 | 327/142.ccls. | US-PGPUB; USPAT | OR | ON | 2007/10/11 11:06 | |

| S40 | 7 | S39 and (low near voltage near detect\$3) | US-PGPUB; USPAT | OR | ON | 2007/10/11 11:07 |
|-----|---------|---|------------------------------|------|-----|------------------|
| S41 | 701 | 327/198.ccls. | US-PGPUB; USPAT | OR | ON | 2007/10/11 11:06 |
| S42 | 17 | S41 and (low near voltage near detect\$3) | US-PGPUB; USPAT | OR | ON | 2007/10/11 11:07 |
| S43 | 166 | (motor near protect\$3) same (short adj circuit) | US-PGPUB; USPAT | OR | ON | 2007/10/29 17:13 |
| S44 | 3 | (("5684342") or ("5699222") or ("5706153")).PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/10/29 17:41 |
| S45 | 33 | (motor adj control\$3 adj (unit module)) same (removable replacable replaceable interchang\$4) | US-PGPUB; USPAT | OR | ON | 2007/10/30 14:32 |
| S46 | 11 | S45 and (motor same protect\$3) | US-PGPUB; USPAT | OR | ON | 2007/10/30 14:56 |
| S47 | 2590556 | (multifunction\$3 interchangable (module unit)) | US-PGPUB; USPAT | OR | ON | 2007/10/30 14:57 |
| S48 | 0 | (multifunction\$3 adj interchangable adj (module unit)) | US-PGPUB; USPAT | OR | ON | 2007/10/30 14:57 |
| S49 | 0 | (multifunction\$3 near interchangable near (module unit)) | US-PGPUB; USPAT | OR | ON | 2007/10/30 15:00 |
| S50 | 114 | (module unit) same (control\$4) same ((different near function\$3) (multifunction\$3)) same (interchangable interchangeable replacable replaceable removable) | US-PGPUB; USPAT | OR · | ON | 2007/10/30 15:05 |
| S51 | 28 | S50 and motor | US-PGPUB; USPAT | OR | ON | 2007/10/30 15:13 |
| S52 | 56044 | motor same protect\$3 | US-PGPUB; USPAT | OR | ON | 2007/10/30 15:13 |
| S53 | 42 | S52 and ((control\$4) same (module unit) same (different) same (function\$3) same (interchang\$5 replac\$4)) | US-PGPUB; USPAT | OR | ON | 2007/10/30 15:25 |
| S54 | 7165 | (module unit) with ((different near function\$5)) | US-PGPUB; USPAT | OR | ON | 2007/10/30 15:44 |
| S55 | 147 | S54 with (interchang\$4 replac\$4) | US-PGPUB; USPAT | OR | ON | 2007/10/30 15:44 |
| S56 | . 0 | S55 and (motor same protect\$4) | US-PGPUB; USPAT | OR | ON | 2007/10/30 15:45 |
| S57 | 35 | S55 and (motor) | US-PGPUB; USPAT | OR | ON | 2007/10/30 16:04 |
| S58 | 56044 | motor same protect\$3 | US-PGPUB; USPAT | OR | ON | 2007/10/30 16:07 |

| | | · | | | | |
|-----|--------|--|--|------|----|------------------|
| S59 | 6850 | S58 and (control adj unit\$1) | US-PGPUB; USPAT | OR | ON | 2007/10/30 16:06 |
| S60 | 1 | S58 and ((control adj unit\$1) same (interchangeable replaceable removable) same (different near (circuit\$3 function\$4))) | US-PGPUB; USPAT | OR | ON | 2007/10/30 16:07 |
| S61 | 986368 | motor | US-PGPUB; USPAT | OR | ON | 2007/10/30 16:07 |
| S62 | 2 | S61 and ((control adj unit\$1) same (interchangeable replaceable removable) same (different near (circuit\$3 function\$4))) | US-PGPUB; USPAT | OR | ON | 2007/10/30 16:09 |
| S63 | 6 | ((control adj unit\$1) same (interchangeable replaceable removable) same (different near (circuit\$3 function\$4))) | US-PGPUB; USPAT | OR | ON | 2007/10/30 16:11 |
| S64 | 161163 | motor same ((control adj (unit module)) with (different near circuit\$2) (function\$5)) | US-PGPUB; USPAT | OR | ON | 2007/10/30 16:12 |
| S65 | 5156 | motor same ((control adj (unit module)) with ((different near circuit\$2) (function\$5))) | US-PGPUB; USPAT | OR | ON | 2007/10/30 16:20 |
| S66 | 1569 | S65 and (protect\$4) | US-PGPUB; USPAT | OR | ON | 2007/10/30 16:16 |
| S67 | 48 | S66 and (short\$1circuit) | US-PGPUB; USPAT | OR | ON | 2007/10/30 16:16 |
| S68 | 142 | motor same (control adj (unit module)) same (multifunction\$5 (different near (function\$5 circuit\$2))) | US-PGPUB; USPAT | OR | ON | 2007/10/30 16:22 |
| S69 | 0 | ground fault is type short circuit | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2007/11/06 16:33 |
| S70 | 0 | ground fault type of short circuit | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2007/11/06 16:33 |

| S71 | 2 | ground fault type short circuit | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2007/11/06 16:34 |
|-----|-----|--|--|--------|----|------------------|
| S72 | 131 | ground fault type short circuit | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH . | ON | 2007/11/06 17:17 |
| S73 | 3 | (motor controller (upgradeable or expandable or scalable) (processor or logic or CPU or computer or microcontroller or microprocessor)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2007/11/06 17:18 |
| S74 | 167 | (motor controller (upgradeable or upgrad\$3 or expand\$4 or scal\$4) (processor or logic or CPU or computer or microcontroller or microprocessor or memory)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2007/11/06 17:24 |
| S75 | 42 | (motor adj controller (upgradeable or upgrad\$3 or expand\$4 or scal\$4) (processor or logic or CPU or computer or microcontroller or microprocessor or memory)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2007/11/06 17:27 |
| S76 | 9 | (motor adj controller (upgradeable or expand\$4 or scalable) (processor or logic or CPU or computer or microcontroller or microprocessor or memory)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2007/11/06 17:32 |
| S77 | 0 | (motor adj controller (upgradeable or expandable or scalable) (process\$3 or logic or CPU or computer or microcontroller or microprocessor or supervis\$3) with memory) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | WITH | ON | 2007/11/06 17:34 |

| S78 | 2 | (motor adj controller (upgradeable or expandable or scalable) (process\$3 or logic or CPU or computer or microcontroller or microprocessor or supervis\$3) with memory) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | SAME | ON | 2007/11/06 17:35 |
|-----|-----|--|--|------|----|------------------|
| S79 | 0 | (motor controller interchangeable processor (expandable or upgradable) (hardware or circuit\$2)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | SAME | ON | 2007/11/06 17:35 |
| S80 | 1 | (motor controll\$3 interchangeable (processor or mocrocontoller or microprocessor or supervis\$3 or logic or CPU or computer) (different with control\$3 with circuit\$2)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | SAME | ON | 2007/11/06 17:37 |
| S81 | 471 | ((motor with (controll\$3 or manag\$4 or supervis\$3 or start\$3) (module or modular or modularized or unit or unitized or unitary) (processor or mocrocontroller or microprocessor or supervis\$3 or logic or CPU or computer) ((different or additional or other or more) with control\$3 with circuit\$2))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | SAME | ON | 2007/11/06 17:39 |